

Co/C



# Alston & Bird LLP

Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
(704) 444-1000  
Fax (704) 444-1111

November 9, 2006

## **Certificate**

NOV 20 2006

## **of Correction**

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


Re: United States Patent for *Efficient Multipurpose Code Matched Filter For Wideband CDMA*  
Application No. 09/950,023; Filed September 12, 2001  
Patent No. 7,042,968; Issued May 9, 2006  
Our File 042933/300946

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,

  
Guy R. Gosnell  
Registration No. 34,610

GRG:mf  
Enclosures

LEGAL02/30146709v1

NOV 21 2006

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 7,042,968 B1

Page 1 of 1

APPLICATION NO. : 09/950,023

ISSUE DATE : May 9, 2006

INVENTOR(S) : Jansen et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9.

Line 18, "m≤n" should read --m≤n--.

Column 11.

Line 25, "m≤n" should read --m≤n--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000

NOV 2 1 2006

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 7,042,968 B1

Page 1 of 1

APPLICATION NO. : 09/950,023

ISSUE DATE : May 9, 2006

INVENTOR(S) : Jansen et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9.

Line 18, "m≤n" should read --m≤n--.

Column 11.

Line 25, "m≤n" should read --m≤n--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP  
Bank of America Plaza  
101 South Tryon Street, Suite 4000  
Charlotte, NC 28280-4000  
Tel Charlotte Office (704) 444-1000

NOV 21 2006